

%ORRGERUQH 3DWKRJHQ &RPPXQLFDEOH  
6WXGHQW ([SRVXUH 5HSRUWLQJ )RUP

%/22' %251( 3\$7+2*(1 &20081,&\$%/( ',6(\$6( 678'(17 ( ;32685( 5(3257,1* )250
--

1DPH RI ([SRVHG

\$GGU

3KR

'DWH RI ([SRV

([DFW ORFDWLRQ ZKHUH H[SRVXUH RFFXUUHG L H SDWLHQ  
BB

:LWQHVVHV WR H[SRVXUH LQFLGHQW

1DPH

\$GGU

3KRQ

'HVFULEH WKH FLUFXPVWDQFHV RI WKH H[SRVXUH  
BB

BB

BB

BB

7+( )2//2:,1\* 6(&7,21 ,6 \$33/,&\$%/( 21/< 72 6+\$53 2%-( &7  
,1-85,(6 ,) 7+,6 (;32685( :\$6 127 7+( 5(68/7 2) \$ 6+\$53 2%-( &  
,1-85< 3/(\$6( &217,18( 72 3\$\*(

1. Was the injured worker the original user of the sharp item?

Yes No Unknown Not applicable+

2. The sharp item was:

Contaminated Uncontaminated Unknown Not applicable

3. For what purpose was the sharp item originally used:

Unknown	To connect IV line
Injection into muscle, vein, or artery	To gain intravenous access
Heparin or saline flush	To draw a venous blood sample
Injection into (or aspiration from)	To draw an arterial blood sample
IV injection site or IV port	

4. Did the injury occur:

Before use of item	Device left on floor, table, or bed
During use of item	In transit to disposal
After use of item	While disposing of item
Between steps of a multi-step procedure	After disposal/protruding from
While recapping a used needle	sharps container
While withdrawing needle from a rubber port	Other: _____

5. What type of device caused the injury?

Hollow Bore Needle Surgical Needle Lancet ~~as~~ 2 W K H U

6. Brand/Manufacturer of product (i.e. ABC Medical Company):

\_\_\_\_\_ Unknown

7. If the item is a sharps container, was the injury caused by a needle or other sharp object? (Art. 5-9-10 (c) 9d (5) 2, 16 (5) 57 (f) 11 (4) t)

